

Technical Requirements
The Forest of Songs

Duration of the performance: 45 minutes

Nr. of performers: 4

Nr. of technical staff: 2

Required time for setting the stage: 4 hours

Required time for sound check and rehearsal before the performance: 2 hours

Required time for disassembling the stage: 2 hours

Stage:

Minimum width: 8 m

Minimum depth: 5 m

Minimum height: 4 m

Black covers/curtains at the sides of the stage

Black curtain at the back of the stage

Complete darkness in the hall is required

Power supply 220V/16A, (if possible on the same phase as the PA system and stage monitors)

Light:

30pc 650W

2 pin-spot (necessarily)

3 profile (1 iris) 575 or 750 W,

2 halogen 1000W

2x par 350W (60 or 61 light bulb)

5x floor stand

2x stand approx. 200 cm high

Audio:

2 monitors, min 200 W RMS on the stage (on the floor).

multicore 13 lines for playing indoors, 17 for playing outdoors

mixing desk, 11 or 15 microphone preamps (indoor or outdoor setup), phantom power

reverb effect

external graphic EQ

Speakers in the hall

Contact:

Peter Kus, for audio

e/ peter.kus1@guest.arnes.si

m/ +386 41657860

Borut Bučinel, for light

e/ bucinel@glej.si

m/ +386 40471793